

CONCLUSION AND OUTLOOK

Conclusion

- ▶ We have shown which experiments were used for validation.
- ▶ We have seen a trend that for higher Young modulus the confidence level seems to agree more.
- ▶ We have shown that several advanced visualization techniques for the extraction of more global attributes are available.

Outlook

- ▶ Define common classes of experiments such that different model compare against the same experiment.
- ▶ Share raw experimental data to improve the modeling, like boundary conditions.

Thank you for your attention. Questions?

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References

REFERENCES I

- [1] J. Abanto-Bueno and J. Lambros. “An Experimental Study of Mixed Mode Crack Initiation and Growth in Functionally Graded Materials”. In: *Experimental Mechanics* 46.2 (Apr. 2006), pp. 179–196. ISSN: 1741-2765.
- [2] Abigail Agwai, Ibrahim Guven, and Erdogan Madenci. “Predicting crack propagation with peridynamics: a comparative study”. In: *International Journal of Fracture* 171.1 (Oct. 2011), p. 65. ISSN: 1573-2673.
- [3] J. Amani et al. “A non-ordinary state-based peridynamics formulation for thermoplastic fracture”. English. In: *INTERNATIONAL JOURNAL OF IMPACT ENGINEERING* 87.SI (JAN 2016), 83–94. ISSN: 0734-743X.
- [4] Jonathan Awerbuch and Madhu S Madhukar. “Notched strength of composite laminates: predictions and experiments—a review”. In: *Journal of Reinforced Plastics and Composites* 4.1 (1985), pp. 3–159.
- [5] Asadollahi Aziz. “Simulation of Fracture of Concrete Using Micropolar Peridynamics”. PhD thesis. University of New Mexico, 2014.

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References

REFERENCES II

- [6] A Ball and HW McKenzie. “On the low velocity impact behaviour of glass plates”. In: *Le Journal de Physique IV* 4.C8 (1994), pp. C8–783.
- [7] Bruce Boardman. “Fatigue resistance of steels”. In: *ASM International, Metals Handbook. Tenth Edition 1* (1990), pp. 673–688.
- [8] Philip Bogert, Arunkumar Satyanarayana, and Prasad B Chunchu. “Comparison of Damage Path Predictions for Composite Laminates by Explicit and Standard Finite Element Analysis Tools”. In: 3 (May 2006).
- [9] Eran Bouchbinder, H. George E. Hentschel, and Itamar Procaccia. “Dynamical instabilities of quasistatic crack propagation under thermal stress”. In: *Phys. Rev. E* 68 (3 Sept. 2003), p. 036601.
- [10] JF Boudet, S Ciliberto, and V Steinberg. “Dynamics of crack propagation in brittle materials”. In: *Journal de Physique II* 6.10 (1996), pp. 1493–1516.
- [11] FP Bowden et al. “Controlled fracture of brittle solids and interruption of electrical current”. In: *Nature* 216.5110 (1967), pp. 38–42.

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References

- [12] Michael Bußler et al. “Visualization of fracture progression in peridynamics”. In: *Computers & Graphics* 67 (2017), pp. 45–57. ISSN: 0097-8493.
- [13] Sahir N. Butt, Jithender J. Timothy, and Günther Meschke. “Wave dispersion and propagation in state-based peridynamics”. In: *Computational Mechanics* (July 2017). ISSN: 1432-0924.
- [14] S. Chapman. “Clarification of the Notched Beam Level II Testing Procedures of ACI 446 Committee Report 5”. MA thesis. University of New Mexico, Albuquerque, NM, 2011.
- [15] M. M. Chaudhri and S. M. Walley. “Damage to glass surfaces by the impact of small glass and steel spheres”. In: *Philosophical Magazine A* 37.2 (1978), pp. 153–165.
- [16] W. Chen, B. Song, and D. J. Frew. “108 Split Hopkinson Bar Testing of an Aluminum with Pulse Shaping”. In: *The Proceedings of the JSME Materials and Processing Conference (M&P)* 10.1 (2002), pp. 58–61.

Methodology

Comparison against
experiments

Confidence of
peridynamics models
and simulations

Advanced
visualization
techniques

Conclusion and
Outlook

References

REFERENCES IV

- [17] Weinong W. Chen and Bo Song. “Mechanical Engineering Series”. In: *Split Hopkinson (Kolsky) Bar – Design, Testing and Applications*. 1. Springer US, 2011, p. 388.
- [18] Wei Chen et al. “Peridynamics-Based Fracture Animation for Elastoplastic Solids”. In: *Computer Graphics Forum* (2017), n/a–n/a. ISSN: 1467-8659.
- [19] Zhanqi Cheng et al. “A peridynamic model for dynamic fracture in functionally graded materials”. In: *Composite Structures* 133 (2015), pp. 529–546. ISSN: 0263-8223.
- [20] J.W. Dally and S.A. Thau. “Observations of stress wave propagation in a half-plane with boundary loading”. In: *International Journal of Solids and Structures* 3.3 (1967), pp. 293–308. ISSN: 0020-7683.
- [21] Patrick Diehl, Robert Lipton, and Marc Alexander Schweitzer. *Numerical verification of a bond-based softening peridynamic model for small displacements: Deducing material parameters from classical linear theory*. Tech. rep. Institut für Numerische Simulation, 2016.

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References

REFERENCES V

- [22] Patrick Diehl and Marc Alexander Schweitzer. “Simulation of wave propagation and impact damage in brittle materials using peridynamics”. In: *Recent trends in computational engineering-CE2014*. Springer, 2015, pp. 251–265.
- [23] Patrick Diehl et al. “Extraction of Fragments and Waves After Impact Damage in Particle-Based Simulations”. In: *Meshfree Methods for Partial Differential Equations VIII*. Springer International Publishing, 2017, pp. 17–34.
- [24] W Döll. “Investigations of the crack branching energy”. In: *International Journal of Fracture* 11.1 (1975), pp. 184–186.
- [25] Sharon Eran and Jay Fineberg. “Confirming the continuum theory of dynamic brittle fracture for fast cracks”. In: *Nature* 397.6717 (1999), p. 333.
- [26] JE Field. *Investigation of the impact performance of various glass and ceramic systems*. Tech. rep. CAMBRIDGE UNIV (UNITED KINGDOM) CAVENDISH LAB, 1988.
- [27] J. Fineberg and M. Marder. “Instability in dynamic fracture”. In: *Physics Reports* 313.1 (1999), pp. 1–108. ISSN: 0370-1573.

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References

- [28] Jay Fineberg et al. “Instability in the propagation of fast cracks”. In: *Phys. Rev. B* 45 (10 Mar. 1992), pp. 5146–5154.
- [29] J. T. Foster, S. A. Silling, and W. W. Chen. “Viscoplasticity using peridynamics”. In: *International Journal for Numerical Methods in Engineering* 81.10 (2010), pp. 1242–1258. ISSN: 1097-0207.
- [30] John T. Foster. *Dynamic Crack Initiation Toughness: Experiments and Peridynamic Modeling*. SANDIA REPORT SAN D2009-7217. Sandia National Laboratories, Oct. 2009.
- [31] John T. Foster, Stuart A. Silling, and W. W. Chen. “State Based Peridynamic Modeling of Dynamic Fracture”. In: *Conference: 2009 SEM 2009 Annual Conference & Exposition on Experimental & Applied Mechanics*. Society for Experimental Mechanics. 2009, p. 6.
- [32] D. J. Frew, M. J. Forrestal, and W. Chen. “Pulse shaping techniques for testing elastic-plastic materials with a split Hopkinson pressure bar”. In: *Experimental Mechanics* 45.2 (Apr. 2005), p. 186. ISSN: 1741-2765.

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References

REFERENCES VII

- [33] W Gerstle, N Sakhavand, and S Chapman. “Peridynamic and continuum models of reinforced concrete lap splice compared”. In: *Fracture Mechanics of Concrete and Concrete Structures-Recent Advances in Fracture Mechanics of Concrete* (2010).
- [34] Irep Gözen et al. “Fractal avalanche ruptures in biological membranes”. In: *Nature materials* 9.11 (2010), p. 908.
- [35] XB Gu and QH Wu. “The Application of Nonordinary, State-Based Peridynamic Theory on the Damage Process of the Rock-Like Materials”. In: *Mathematical Problems in Engineering* 2016 (2016).
- [36] Xin Gu, Qing Zhang, and Xiaozhou Xia. “Voronoi-based peridynamics and cracking analysis with adaptive refinement”. In: *International Journal for Numerical Methods in Engineering* (2017). nme.5596, n/a–n/a. ISSN: 1097-0207.
- [37] Youn Doh Ha and Florin Bobaru. “Studies of dynamic crack propagation and crack branching with peridynamics”. In: *International Journal of Fracture* 162.1 (Mar. 2010), pp. 229–244. ISSN: 1573-2673.

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References

REFERENCES VIII

- [38] Hadi Haeri et al. “Experimental and numerical study of crack propagation and coalescence in pre-cracked rock-like disks”. In: *International Journal of Rock Mechanics and Mining Sciences* 67 (2014), pp. 20–28.
- [39] Wenke Hu, Youn Doh Ha, and Florin Bobaru. “Modeling dynamic fracture and damage in a fiber-reinforced composite lamina with peridynamics”. In: *International Journal for Multiscale Computational Engineering* 9.6 (2011).
- [40] Wenke Hu et al. “Impact damage on a thin glass plate with a thin polycarbonate backing”. In: *International Journal of Impact Engineering* 62 (2013), pp. 152–165. ISSN: 0734-743X.
- [41] Y. S. Jenq and S. P. Shah. “Mixed-mode fracture of concrete”. In: *International Journal of Fracture* 38.2 (Oct. 1988), pp. 123–142. ISSN: 1573-2673.
- [42] Tao Jia. “Development and Applications of New Peridynamic Models”. PhD thesis. Michigan State University, 2012.
- [43] S Jose et al. “Intralaminar fracture toughness of a cross-ply laminate and its constituent sub-laminates”. In: *Composites Science and Technology* 61.8 (2001), pp. 1115–1122.

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References

REFERENCES IX

- [44] Charles E. Anderson Jr. et al. “Taylor Anvil Impact”. In: *AIP Conference Proceedings* 845.1 (2006), pp. 1367–1370.
- [45] J. F. Kalthoff and S. Winkler. “Failure mode transition at high rates of shear loading”. In: *Impact Loading and Dynamic Behavior of Materials* 1 (1988), pp. 185–195.
- [46] Joerg F Kalthoff. “Modes of dynamic shear failure in solids”. In: *International Journal of Fracture* 101.1 (2000), pp. 1–31.
- [47] Jorg F Kalthoff. “Shadow optical analysis of dynamic shear fracture”. In: *Optical Engineering* 27.10 (1988), pp. 271035–271035.
- [48] M. Kawai et al. “Effects of end-tab shape on strain field of unidirectional carbon/epoxy composite specimens subjected to off-axis tension”. In: *Composites Part A: Applied Science and Manufacturing* 28.3 (1997), pp. 267–275. ISSN: 1359-835X.
- [49] B. Kilic, A. Agwai, and E. Madenci. “Peridynamic theory for progressive damage prediction in center-cracked composite laminates”. In: *Composite Structures* 90.2 (2009), pp. 141–151. ISSN: 0263-8223.

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References

- [50] Bahattin Kilic and Erdogan Madenci. "Prediction of crack paths in a quenched glass plate by using peridynamic theory". In: *International Journal of Fracture* 156.2 (Apr. 2009), pp. 165–177. ISSN: 1573-2673.
- [51] M. S. Kirugulige and H. V. Tippur. "Mixed-Mode Dynamic Crack Growth in Functionally Graded Glass-Filled Epoxy". In: *Experimental Mechanics* 46.2 (Apr. 2006), pp. 269–281. ISSN: 1741-2765.
- [52] Madhu Kirugulige and Hareesh V Tippur. "Mixed-mode dynamic crack growth in a functionally graded particulate composite: experimental measurements and finite element simulations". In: *Journal of Applied Mechanics* 75.5 (2008), p. 051102.
- [53] R. Kitey and H. V. Tippur. "Dynamic Crack Growth Past a Stiff Inclusion: Optical Investigation of Inclusion Eccentricity and Inclusion-matrix Adhesion Strength". In: *Experimental Mechanics* 48.1 (Feb. 2008), pp. 37–53. ISSN: 1741-2765.

Methodology

Comparison against
experiments

Confidence of
peridynamics models
and simulations

Advanced
visualization
techniques

Conclusion and
Outlook

References

REFERENCES XI

- [54] Sachin Kumar, I.V. Singh, and B.K. Mishra. “A coupled finite element and element-free Galerkin approach for the simulation of stable crack growth in ductile materials”. In: *Theoretical and Applied Fracture Mechanics* 70.Supplement C (2014), pp. 49–58. ISSN: 0167-8442.
- [55] J. A. Levine et al. “A Peridynamic Perspective on Spring-mass Fracture”. In: *Proceedings of the ACM SIGGRAPH/Eurographics Symposium on Computer Animation*. SCA '14. Copenhagen, Denmark: Eurographics Association, 2014, pp. 47–55.
- [56] David Littlewood, Stewart Silling, and Paul Demmie. “Identification of Fragments in a Meshfree Peridynamic Simulation”. In: *ASME 2016 International Mechanical Engineering Congress and Exposition*. American Society of Mechanical Engineers. 2016, V009T12A071–V009T12A071.
- [57] Minghao Liu, Qing Wang, and Wei Lu. “Peridynamic simulation of brittle-ice crushed by a vertical structure”. In: *International Journal of Naval Architecture and Ocean Engineering* 9.2 (2017), pp. 209–218. ISSN: 2092-6782.

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References

REFERENCES XII

- [58] Erdogan Madenci and Erkan Oterkus. *Peridynamic theory and its applications*. Vol. 17. Springer, 2014.
- [59] D.K Mahanty and S.K Maiti. “Experimental and finite element studies on mode I and mixed mode (I and II) stable crack growth—I. Experimental”. In: *Engineering Fracture Mechanics* 37.6 (1990), pp. 1237–1250. ISSN: 0013-7944.
- [60] JW McCauley et al. “Experimental observations on dynamic response of selected transparent armor materials”. In: *Experimental Mechanics* 53.1 (2013), pp. 3–29.
- [61] ACO Miranda et al. “Fatigue life and crack path predictions in generic 2D structural components”. In: *Engineering Fracture Mechanics* 70.10 (2003), pp. 1259–1279.
- [62] Vinesh V. Nishawala et al. “Simulation of elastic wave propagation using cellular automata and peridynamics, and comparison with experiments”. In: *Wave Motion* 60 (2016), pp. 73–83. ISSN: 0165-2125.
- [63] I Ocaña et al. “Fracture characterization in patterned thin films by cross-sectional nanoindentation”. In: *Acta materialia* 54.13 (2006), pp. 3453–3462.

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References

- [64] E. Oterkus, A. Barut, and E. Madenci. “Damage growth prediction from loaded composite fastener holes by using peridynamic theory”. In: *Collection of Technical Papers - AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics and Materials Conference*. 2010, pp. 1–14. ISBN: 9781600867422.
- [65] Erkan Oterkus et al. “Peridynamic Theory for Simulation of Failure Mechanisms in Electronic Packages”. In: *ASME 2009 InterPACK Conference collocated with the ASME 2009 Summer Heat Transfer Conference and the ASME 2009 3rd International Conference on Energy Sustainability*. American Society of Mechanical Engineers. 2009, pp. 63–68.
- [66] P. Diehl. “Modeling and Simulation of cracks and fractures with peridynamics in brittle materials.” Dissertation. Institut für Numerische Simulation, Universität Bonn, 2017.
- [67] M. Ramulu and A. S. Kobayashi. “Mechanics of crack curving and branching — a dynamic fracture analysis”. In: *International Journal of Fracture* 27.3 (Mar. 1985), pp. 187–201. ISSN: 1573-2673.

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References

- [68] S. Raymond et al. “A meshfree study of the Kalthoff–Winkler experiment in 3D at room and low temperatures under dynamic loading using viscoplastic modelling”. In: *Engineering Analysis with Boundary Elements* 42 (2014). Advances on Meshfree and other Mesh reduction methods, pp. 20–25. ISSN: 0955-7997.
- [69] O. Ronsin and B. Perrin. “Dynamics of quasistatic directional crack growth”. In: *Phys. Rev. E* 58 (6 Dec. 1998), pp. 7878–7886.
- [70] O Ronsin and B Perrin. “Multi-fracture propagation in a directional crack growth experiment”. In: *EPL (Europhysics Letters)* 38.6 (1997), p. 435.
- [71] Stewart A. Silling. *Peridynamic Modeling of the Kalthoff-Winkler Experiment*. Submission for the 2001 Sandia Prize in Computational Science. Jan. 2002.
- [72] Devinder S. Sodhi and Carl E. Morris. “Characteristic frequency of force variations in continuous crushing of sheet ice against rigid cylindrical structures”. In: *Cold Regions Science and Technology* 12.1 (1986), pp. 1–12. ISSN: 0165-232X.

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References

REFERENCES XV

- [73] Roman Starikov and Joakim Schön. “Local fatigue behaviour of CFRP bolted joints”. In: *Composites Science and Technology* 62.2 (2002), pp. 243–253. ISSN: 0266-3538.
- [74] E. Strassburger. “Visualization of Impact Damage in Ceramics Using the Edge-On Impact Technique”. In: *International Journal of Applied Ceramic Technology*. Vol. 1. 2004, 1:235–242.
- [75] E. Strassburger et al. “High-Speed Photographic Study Of Wave Propagation And Impact Damage In Fused Silica And Alon Using The Edge-On Impact (EOI) Method”. In: *AIP Conf. Proc.* 892 (2006).
- [76] E. Strassburger et al. “Visualization of wave propagation and impact damage in a polycrystalline transparent ceramic - AION”. In: *22nd International Symposium on Ballistics*. 2. DEStech Publications, Nov. 2005, pp. 769–776.
- [77] Ilyass Tabiai. *PMMA tensile test until failure, loaded in force*. Sept. 2017. DOI: 10.5281/zenodo.894890. URL: <https://doi.org/10.5281/zenodo.894890>.
- [78] Michael Taylor et al. “Peridynamic Modeling of Ruptures in Biomembranes”. In: *PloS one* 11.11 (2016), e0165947.

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References

REFERENCES XVI

- [79] M.R. Tupek, J.J. Rimoli, and R. Radovitzky. “An approach for incorporating classical continuum damage models in state-based peridynamics”. In: *Computer Methods in Applied Mechanics and Engineering* 263 (2013), pp. 20–26. ISSN: 0045-7825.
- [80] T.L Weng and C.T Sun. “A study of fracture criteria for ductile materials”. In: *Engineering Failure Analysis* 7.2 (2000), pp. 101–125. ISSN: 1350-6307.
- [81] J. J. Wetzel. “The impulse response of extruded corrugated core aluminum sandwich structures”. MA thesis. University of Virginia, 2009.
- [82] Kenneth W. Winkler. “Frequency dependent ultrasonic properties of high-porosity sandstones”. In: *Journal of Geophysical Research: Solid Earth* 88.B11 (1983), pp. 9493–9499. ISSN: 2156-2202.
- [83] EM Wu. “Application of fracture mechanics to anisotropic plates”. In: *Trans ASME J Appl Mech* 34.4 (1967), pp. 967–974.
- [84] Uğur Yolum, Ahmet Taştan, and Mehmet A Güler. “A Peridynamic Model for Ductile Fracture of Moderately Thick Plates”. In: *Procedia Structural Integrity* 2 (2016), pp. 3713–3720.

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References

- [85] A. Yuse and M. Sano. “Instabilities of quasi-static crack patterns in quenched glass plates”. In: *Physica D: Nonlinear Phenomena* 108.4 (1997), pp. 365–378. ISSN: 0167-2789.
- [86] A Yuse and M Sano. “Transition between crack patterns in quenched glass plates”. In: *Nature* 362.6418 (1993), pp. 329–331.
- [87] Guanfeng Zhang. “Peridynamic models for fatigue and fracture in isotropic and in polycrystalline materials”. English. PhD thesis. University of Nebraska, 2017, p. 113. ISBN: 114.
- [88] Guanfeng Zhang and Florin Bobaru. “MODELING THE EVOLUTION OF FATIGUE FAILURE WITH PERIDYNAMICS”. In: *Ro. J. Techn. Sci. – Appl. Mechanics*. Vol. 1. 2016, pp. 22–40.
- [89] John J Zhang and Laurence R Bentley. “Change of bulk and shear moduli of dry sandstone with effective pressure and temperature”. In: *CREWES Research Report* 11 (1999), pp. 01–16.

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References

- [90] Xiaoping Zhou, Yunteng Wang, and Qihu Qian. “Numerical simulation of crack curving and branching in brittle materials under dynamic loads using the extended non-ordinary state-based peridynamics”. In: *European Journal of Mechanics-A/Solids* 60 (2016), pp. 277–299.

Methodology

Comparison against experiments

Confidence of peridynamics models and simulations

Advanced visualization techniques

Conclusion and Outlook

References